


PELL • PENDANT

2350 BROADWAY SUITE 404 NEW YORK, NY 10024
SUPPORT@STUDIOLUDDITE.COM (917) 423 2443


CONTENTS:	FIXTURE BODY (x1)	DIFFUSER (x1)	CANOPY (x1)	CROSSBAR (x1)	DROP STEMS (x4)	FASTENER KIT	
LAMPING:	G9 (x1) *NOT INCLUDED			MAX WATTAGE:	10 WATTS		



1.

DANGER: ELECTRIC SHOCK HAZARD. BEFORE INSTALLATION DE-ENERGIZE CIRCUIT. INSTALLATION BY A QUALIFIED ELECTRICIAN ONLY.


Attach crossbar to junction box with provided screws.



2.

Pass wires from fixture body through drop stems and canopy, then screw pipes together and to socket and canopy.


Stocked fixtures include 3x 12” and 1x 6” drop stems. Additional pipes are available in these and other sizes.



3.


Connect the copper ground wire first, then connect line and neutral wires.

Colors shown depict typical U.S. installation. International wiring standards may vary



4.

Place canopy over crossbar and secure with provided finials.



5.

Insert bulb* into sockets. Then gently screw on glass diffuser.

*Bulb is not included.



6.

FIXTURE COMPLETED