


STANTON • PENDANT

2350 BROADWAY SUITE 404 NEW YORK, NY 10024
SUPPORT@STUDIOLUDDITE.COM (917) 423 2443


CONTENTS:	PENDANT BODY (x1)	CROSSBAR (x1)	CANOPY (x1)	DROP PIPE (x4)	GLASS SHADE (x3)	FASTENER KIT (x1)	
LAMPING:	G9 (X3) *NOT INCLUDED			MAX WATTAGE:	50 WATTS PER BULB		



1.

DANGER: ELECTRIC SHOCK HAZARD. BEFORE INSTALLATION DE-ENERGIZE CIRCUIT. INSTALLATION BY A QUALIFIED ELECTRICIAN ONLY.


Attach crossbar to junction box with provided screws.



2.

Pass wires from pendant body through drop pipes and canopy, then screw pipes together and to socket and canopy. Then screw bottom stem into bottom of pendant body.


Stocked fixtures include 3x 12” and 1x 6” drop stems. Additional pipes are available in these and other sizes.



3.


Connect the copper ground wire first, then connect line and neutral wires.

Colors shown depict typical U.S. installation. International wiring standards may vary.



4.


Place canopy over crossbar and secure with provided finials.



5.

For each lamp, insert bulb* into socket, then gently screw on glass diffuser.

*Bulbs are not included.



6.

FIXTURE COMPLETED